

Questions & Answers - 1

Solicitation 22-350-001 - Poudre High School Gymnasium Sound System
Buying Organization Poudre School District

No	Question/Answer	Question Date
Q1	<p>Question: Installed vs Portable If the installed sound system supported a max capacity gym (approximately 2000 people) would there be any need for a portable sound system?</p> <p>Answer: The portable system is to augment the gym system.</p>	08/25/2021
Q2	<p>Question: Architectural Drawings Can the district provide Architectural drawings for the gymnasium?</p> <p>Answer: Drawings are attached.</p>	08/25/2021
Q3	<p>Question: Wired microphone plates During the on-site walk (8/24) it was observed that there are existing XLR microphone plates underneath the rack location and at the west bleachers. Shall these plates be serviced and maintain current functionality. If different functionality is required, please specify.</p> <p>Answer: There are seven total XLR inputs: two on the west bleachers (#1 & #2), two on the south wall (#3 & #4), one on the west wall, above the bleachers in the announcer position (#5), two on the north wall (rack location) (#6 & #7). #3 and #6 and #4 and #7 are paired under the same volume controller. #3 and #6 can be eliminated. The rest should be maintained.</p>	08/25/2021
Q4	<p>Question: Dimensions What are the gym dimensions?</p> <p>Answer: The dimensions are included in the attached drawings.</p>	08/26/2021
Q5	<p>Question: Microphones Do the combo microphone systems need to have the lavaliers and handhelds active at the same time, or is it one or the other?</p> <p>Answer: The existing microphones are wired only and need to be usable in new system. Wireless microphones should also be provided in some combination of handheld and lavalier. Combo units should have 2 different frequencies so users may use either a beltpack, or a handheld wireless unit on a frequency.</p>	08/26/2021
Q6	<p>Question: AM/FM Tuner and CD Player Do we need to provide an AM/FM tuner and CD player?</p> <p>Answer: No, you do not need to provide an AM/FM tuner and CD player.</p>	08/26/2021
Q7	<p>Question: Wall Plates How many existing input wall plates are there? Is it just the one XLR input?</p> <p>Answer: Refer to Question #3.</p>	08/26/2021

No	Question/Answer	Question Date
Q8	<p>Question: Floor Stands For the portable system: Do the speakers need floor stands?</p> <p>Answer: Yes, the portable system speakers need floor stands.</p>	08/26/2021
Q9	<p>Question: Digital Mixer Is there a preferred mfg and/or model for the portable system's digital mixer?</p> <p>Answer: No, the District does not have a preferred manufacturer and/or model for the portable system's digital mixer.</p>	08/26/2021
Q10	<p>Question: Site Drawings Are site drawings available?</p> <p>Answer: Drawings are attached.</p>	08/26/2021
Q11	<p>Question: Wall Input Plate What wall input plate is the client providing?</p> <p>Answer: The wall plates are existing.</p>	08/26/2021
Q12	<p>Question: Equipment Rack How many spaces does the rack have and where is it located?</p> <p>Answer: The rack has 30 spaces. It's located on the north wall of the gym.</p>	08/26/2021
Q13	<p>Question: Line Drawings for Existing System Do you have line drawings for the existing system?</p> <p>Answer: Drawings are attached.</p>	08/26/2021
Q14	<p>Question: Speaker Zones Can you provide more detail on requested speaker zones?</p> <p>Answer: The District is looking for input on design.</p>	08/26/2021